

Index to Volume 191

Preface	1–2
Ackermann K, Pyerin W: Protein kinase CK2 α may induce gene expression but unlikely acts directly as a DNA-binding transcription-activating factor	129–134
Aguilera J, <i>see</i> Riera M <i>et al.</i>	
Ahmed K, <i>see</i> Guo C <i>et al.</i>	
Ahmed R, <i>see</i> Kusk M <i>et al.</i>	
Alghisi GC, <i>see</i> Leroy D <i>et al.</i>	
Allende CC, <i>see</i> Korn I <i>et al.</i>	
Allende JE, <i>see</i> Korn I <i>et al.</i>	
Avila J, <i>see</i> Moreno FJ <i>et al.</i>	
Bendixen C, <i>see</i> Kusk M <i>et al.</i>	
Benitez MJ, Mier G, Brione F, Moreno FJ, Jiménez JS: Binding of polylysine to protein kinase CK2, measured by Surface Plasmon Resonance	29–33
Bianchini L, <i>see</i> Lebrin F <i>et al.</i>	
Blundell TL, <i>see</i> Korn I <i>et al.</i>	
Boldyreff B, <i>see</i> Kusk M <i>et al.</i>	
Bosc DG, Lüscher B, Litchfield DW: Expression and regulation of protein kinase CK2 during the cell cycle	213–222
Brione F, <i>see</i> Benitez MJ <i>et al.</i>	
Cesaro L, <i>see</i> Sarno S <i>et al.</i>	
Chambaz EM, <i>see</i> Leroy D <i>et al.</i> , Grein S <i>et al.</i> , Lebrin F <i>et al.</i>	
Channavajhala PL, <i>see</i> Xu X <i>et al.</i>	
Cochet C, <i>see</i> Leroy D <i>et al.</i> , Grein S <i>et al.</i> , Egyházi E <i>et al.</i>	
Colomer D, <i>see</i> Roig J <i>et al.</i>	
Davis AT, <i>see</i> Guo C <i>et al.</i>	
Díaz-Nido J, <i>see</i> Morena FJ <i>et al.</i>	
Dobrowolska G, Lozeman FJ, Li D, Krebs EG: CK2, a protein kinase of the next millenium	3–12
Dobrowolska G, <i>see</i> Li D <i>et al.</i>	
Egyházi E, Ossoinak A, Filhol-Cochet O, Cochet C, Pigon A: The binding of the α subunit of protein kinase CKs and RAP74 subunit of TFIIIF to protein-coding genes in living cells is DRB sensitive	149–159
Filhol O, <i>see</i> Leroy D <i>et al.</i> , Grein S <i>et al.</i>	
Filhol-Cochet O, <i>see</i> Leroy D <i>et al.</i> , Egyházi E <i>et al.</i>	
Gasser SM, <i>see</i> Leroy D <i>et al.</i>	
Ghavidel A, Hockman DJ, Schultz MC: A review of progress towards elucidating the role of protein kinase CK2 in polymerase III transcription: Regulation of the TATA binding protein	143–148
Gil C, <i>see</i> Riera M <i>et al.</i>	
Glover CVC, <i>see</i> Tenney KA	
Goldberg Y, <i>see</i> Lebrin F <i>et al.</i>	
Götz C, Scholtes P, Prowald A, Schuster N, Nastainczyk W, Montenarh M: Protein kinase CK2 interacts with a multi-protein binding domain of p53	111–120
Grein S, Pyerin W: BTF3 is a potential new substrate of protein kinase CK2	121–128

- Grein S, Raymond K, Cochet C, Pyerin W, Chambaz EM, Filhol O: Searching interaction partners of protein kinase CK2b subunit by two-hybrid screening 105–109
- Guo C, Davis AT, Yu S, Tawfic S, Ahmed K: Role of protein kinase CK2 in phosphorylation of nucleosomal proteins in relation to transcriptional activity 135–142
- Gutkind S, *see* Korn I *et al.*
- Hiscott J, *see* Lin R
- Hockman DJ, *see* Ghavidel A *et al.*
- Issinger O-G, *see* Kusk M *et al.*
- Itarte E, *see* Riera M *et al.*, Roig J *et al.*
- Jiménez JS, *see* Benitez MJ *et al.*, Moreno FJ *et al.*
- Korn I, Gutkind S, Srinivasan N, Blundell TL, Allende CC, Allende JE: Interactions of protein kinase CK2 subunits
- Krebs EG, *see* Dobrowolska G *et al.*, Li D *et al.*
- Krehan A, Pyerin W: Intermolecular contact sites in protein kinase CK2 75–83
- Krehan A, *see* Roig J *et al.*
- Kusk M, Ahmed R, Thomsen B, Bendixen C, Issinger O-G, Boldyreff B: Interactions of protein kinase CK2b subunit within the holoenzyme and with other proteins 21–28
- Landesman-Bollag E, *see* Xu X *et al.* 51–58
- Lebrin F, Bianchini L, Rabilloud T, Chambaz EM, Goldberg Y: CK2a-protein phosphatase 2A molecular complex: Possible interaction with the MAP kinase pathway
- Leroy D, Filhol O, Quintaine N, Sarrouilhe D, Loue-Mackenbach P, Chambaz EM, Cochet C: Dissecting subdomains involved in multiple functions of the CK2 β subunit 207–212
- Leroy D, Alghisi GC, Roberts E, Filhol-Cochet O, Gasser SM: Mutations in the C-terminal domain of topoisomerase II affect meiotic function and interaction with the casein kinase 2 subunit 43–50
- Li D, Dobrowolska G, Krebs EG: Identification of proteins that associate with protein kinase CK2 85–95
- Li D, *see* Dobrowolska G *et al.*
- Lin R, Hiscott J: A role of casein kinase II phosphorylation in the regulation of IRF-1 transcriptional activity 223–228
- Litchfield DW, *see* Bosc DG *et al.*
- Loue-Mackenbach P, *see* Leroy D *et al.* 169–180
- Lozeman FJ, *see* Dobrowolska G *et al.*
- Lüscher B, *see* Bosc DG *et al.*
- Marin O, *see* Sarno S *et al.*, Meggio F *et al.*
- McKendrick L, Milne D, Meek D: Protein kinase CK2-dependent regulation of p53 function: Evidence that the phosphorylation status of the serine 386 (CK2) site of p53 is constitutive and stable
- Meek D, *see* McKendrick L *et al.*
- Meggio F, Marin O, Sarno S, Pinna LA: Functional analysis of CK2 β -derived synthetic fragments
- Mier G, *see* Benitez MJ *et al.* 187–199
- Milne D, *see* McKendrick L *et al.*
- Miró F, *see* Riera M *et al.* 35–42
- Montenarh M, *see* Götz C *et al.*
- Moreno FJ, Díaz-Nido J, Jiménez JS, Avila J: Distribution of CK2, its substrate MAP1B and phosphatases in neuronal cells
- Moreno FJ, *see* Benitez MJ *et al.*
- Nastainczyk W, *see* Götz C *et al.* 201–205

Ossoinak A, *see* Egyházi E *et al.*

Pigon A, *see* Egyházi E *et al.*

Pinna LA, *see* Sarno S *et al.*, Meggio F, *et al.*

Plana M, *see* Riera M *et al.*, Roig J *et al.*

Prowald A, *see* Götz C *et al.*

Pyerin W, *see* Krehan A, Wirkner U, Grein S *et al.*, Grein S, Ackermann K, Roig J *et al.*

Quintaine N, *see* Leroy D *et al.*

Rabilloud T, *see* Lebrin F *et al.*

Raymond K, *see* Grein S *et al.*

Riera M, Roher N, Miró F, Gil C, Trujillo R, Aguilera J, Plana M, Itarte E: Association of protein kinase CK2 with eukaryotic translation initiation factor eIF-2 and with grp94/endoplasmic

Roberts E, *see* Leroy D *et al.*

Roher N, *see* Riera M *et al.*

Roig J, Krehan A, Colomer D, Pyerin W, Itarte E, Plana M: Multiple forms of protein kinase CK2 present in leukemic cells: *In vitro* study of its origin by proteolysis

97-104

Sarrouilhe D, *see* Leroy D *et al.*

Sarno S, Vaglio P, Cesaro L, Marin O, Pinna LA: A multifunctional network of basic residues confers unique properties to protein kinase CK2

229-234

Sarno S, *see* Meggio *et al.*

Scholtes P, *see* Götz C *et al.*

Schultz MC, *see* Ghavidel A *et al.*

Schuster N, *see* Götz C *et al.*

13-19

Seldin DC, *see* Xu X *et al.*

Sheu G-T, Traugh JA: A structural model for elongation factor 1 (EF-1) and phosphorylation by protein kinase CKII

Srinivasan N, *see* Korn I *et al.*

Tawfic S, *see* Guo C *et al.*

Tenney KA, Glover CVC: Transcriptional regulation of the *S. cerevisiae* *ENAI* gene by casein kinase II

181-186

Thomsen B, *see* Kusk M *et al.*

Traugh JA, *see* Sheu G-T

Trujillo R, *see* Riera M *et al.*

161-167

Vaglio P, *see* Sarno S *et al.*

Wirkner U, Pyerin W: CK2 β loci in the human genome: Structure and transcriptional activity

Xu X, Landesman-Bollag E, Channavajhala PL, Seldin DC: Murine protein kinase CK2: Gene and oncogene

Yu S, *see* Guo C *et al.*

59-64

65-74



